


4

3

2

1



NOTES:
 1 STANDARD EXPOSED/USABLE LENGTH WHEN ASSEMBLED.

PROPRIETARY ITEM:
 THIS DRAWING CONTAINS
 INFORMATION PROPRIETARY TO NEW
 WAY MACHINE COMPONENTS, INC. ANY
 REPRODUCTION, DISCLOSURE, OR USE
 OF THIS DRAWING OR THE
 INFORMATION CONTAINED HEREIN
 IS EXPRESSLY PROHIBITED EXCEPT AS
 NEW WAY MAY OTHERWISE AGREE TO
 IN WRITING. ALL RIGHTS RESERVED BY
 NEW WAY MACHINE COMPONENTS, INC.

TOLERANCES UNLESS OTHERWISE SPECIFIED ANGLES: $\pm 1/2^\circ$ DECIMALS: $XX \pm .01$ $XXX \pm .005$ FRACTIONS: $\pm 1/64$ SURFACE ROUGHNESS: $\sqrt{\text{RMS MAX.}}$ BREAK ALL SHARP EDGES: $.005-.020$	TITLE: STANDARD AIRTURN JOURNAL			
	DRAWN: EJS	DATE: 10/16/19		
	CHECKED:	DATE:	HEAT TREAT:	DWG. TYPE
	SCALE: 3:2	SHT. 1 OF 1	FINISH: CLEAR ANODIZE PER MIL-A-8625 TYPE 2, CLASS 1	DWG. # 38-0083
USED ON (NW #): STANDARD AIRTURNS				

4

3

2

1

B

B

A

A